www.lockshop.co.za
LockDesk Cellphone:
084-200-1555 (Office Hrs only)
info@lockshop.co.za

THE LOCKSHOP
Everything for Every Door

Distributors of locks, biometrics, panic &
emergency exit hardware, door closers, access
control equipment and all door & gate hardware

Cnr Silver & Gold Streets
Northgate Estate,
Brooklyn 7405, Cape Town.
Tel: +27 (0)21 555-1720

Proud Southern African distributors of the renowned DETEX® alarmed panic hardware - trusted all over the world!

ALARMED EMERGENCY EXIT DEVICES FOR DOUBLE DOORS
which are too narrow for the DETEX V40 series:

1. PANIC BAR WITH VERTICAL RODS to the fixed leaf

2. DETEX® ECL-600 ALARMED EXIT DEVICE to the moving leaf

3. STRIKER PLATE for Double doors using DETEX ECL devices

1. FIXED LEAF: This panic device with vertical locking rods will lock the **fixed** (second-opening) **leaf** automatically at the top and at the bottom, whenever that leaf is closed, providing a stable object for the moving (first-opening) leaf to lock against.

2. MOVING LEAF: DETEX ECL-600
DETEX ECL-600 requires a minimum of 750 mm between the hinge-side of the door frame and the locking edge of the moving leaf

Specify **F411 09 001**

3. Double door striker plate 600
Specify **F413 78 015**

Specify **F413 78 003: DETEX ECL-**

The panic bar above can be cut down to accommodate very narrow door sizes. The vertical locking rods offer good security against attack from outside.

DETEX ECL-600 has a stainless-steel latch, as well as a deadbolt, and a battery-powered 95dB alarm. It will **latch automatically** whenever the door is closed, and will **lock the moving leaf securely against the fixed leaf,** without hindering escape. The alarm is armed or disarmed using the key, which also re-locks the deadbolt.

ESCAPE IS ALWAYS POSSIBLE regardless of the armed / disarmed status of the alarm, or the status of the battery.

The pictures illustrate the principles. Panic bar may differ from the picture at left.

PUSHING AGAINST EITHER DEVICE WILL ALLOW UNHINDERED ESCAPE
NB: ALL THREE items above are required for a pair of DOUBLE doors.

Either **F411 09 001** or **F413 78 003 /ECL-600** illustrated above can also be used separately, on any single outward opening escape door. The double-door striker plate is not needed for single doors.

Please **furnish accurate door frame measurements** to enable us to assist with specifications.

Always specify a door closer (NOT included) on **each door-leaf**, to keep out fresh air, which would fan a fire and distribute toxic smoke.
Specify **one x E401 12 051**
or
one x E401 12 054 for bigger door leaves and / or windy conditions